In the Claims:

1. (Withdrawn) A compound of Formula I:

Formula I

or a pharmaceutically acceptable salt thereof,

wherein R is substituted or unsubstituted aryl, heteroaryl, cycloalkyl, heterocyclic, alkoxy, cycloalkoxy, aryloxy, heteroaryloxy, alkylamino, cycloaklylamino, arylamino, heteroarylamino; or

R is

wherein X' and X" are each independently hydrogen, hydroxy or fluoro, provided when one of X' and X" is fluoro, the other is not hydroxy; or

X' and X" together form an oxo group,

Z is selected from the group consisting of alkyl, nitrogen, oxygen, sulfur and a bond covalently linking R_1 to -CX'X"-

R₁ is selected from the group consisting of hydrogen, substituted or unsubstituted alkyl, alkenyl, aryl, cycloalkyl, cycloalkenyl, heteroaryl, and heterocyclic;

R₂ is selected from the group consisting of hydrogen, C₁-C₄ alkyl,
-COOR_{2a}, and -COR_{2a} wherein R_{2a} is hydrogen, C₁₋₄alkyl, cycloalkyl, or heterocycle;

R₃ is H, substituted or unsubstituted, linear-, branched- or alkyl, cycloalkyl, or substituted or unsubustituted phenyl;

R₅ is -Y-R₆, wherein Y is substituted or unsubstituted alkyl, alkenyl, aryl, cycloalkyl, cycloalkenyl, heterocyclic, or a bond; and

R₆ is substituted or unsubstituted aryl, heteroaryl, cycloalkyl, heterocycle, heterocycloalkyl, aryloxide, heteroaryl N-oxide, or arylsulfide;

provided when Y is a bond, then either R_6 is cycloalkyl, or R_2 is alkylalkoxy or alkylthioalkoxy.

- 2. (Withdrawn) The compound of Claim 1, wherein $R = -CR_1X'X''$, X' is H or OH, X'' is H, and R_1 is aryl or substituted aryl.
- 3. (Currently Amended) The compound of Claim [[1]] $\underline{4}$, wherein R₃ is H or t-butyl.
- 4. (Previously Presented) A compound of Formula II:

$$R_1 \xrightarrow{Q} R_2 \xrightarrow{H} R_3 \xrightarrow{R_3} R_4$$

Formula II

wherein R_1 is aryl, or substituted aryl; X' is H or OH; R_2 is CH_3 , R_3 is H, or t-butyl; R_7 is aryl, substituted aryl, or U-aryl, wherein U is O or CH_2 ; and R_8 and R_9 are independently H, or alkyl.

5. (Currently Amend) A pharmaceutical formulation comprising the compound according to Claim [11] 4 and a pharmaceutically acceptable carrier.

- 6. (Withdrawn-Currently Amended) A method for inhibiting β -amyloid peptide release or synthesis in a cell comprising administering to said cell a compound according to Claim [[1]] $\underline{4}$, in an amount effective in inhibiting the cellular release and/or synthesis of β -amyloid peptide.
- 7. (Withdrawn-Currently Amended) A method for inhibiting γ -secretase activity comprising administering to a host an effective amount of the compound according to Claim [[1]] $\underline{4}$.
- 8. (Withdrawn-Currently Amended) A method for treating or preventing a neurological disorder associated with β -amyloid peptide production comprising administering to a host a pharmaceutical formulation comprising a therapeutically effective amount of the compound according to Claim [[1]] $\underline{4}$.
- 9. (Withdrawn) The method according to Claim 8, wherein said neurological disorder is Alzheimer's disease.
- 10. (Withdrawn) The compound of Claim 3, wherein R₂ is methyl.
- 11. (Withdrawn) The compound of Claim 10, wherein Y is -CH₂-CH₂-; CH₃-CH<; -CH(CH₃)-: -C(CH₃)₂CH₂-; CH₃-CH(phenyl)<; >CH(phenyl); or -CH=CH-.
- 12. (Currently Amended) The compound of Claim [[2]] 4, wherein R₁ is 3,5-difluorophenyl.
- 13. (Previously Presented) A compound of Formula II:

$$\begin{array}{c|c} R_1 & CH_3 & H & R_3 \\ \hline N & N & N \\ X' & O & R_9 \end{array}$$

Formula II

wherein R_1 is aryl or heteroaryl, cycloalkyl, or heterocycle, optionally substituted with one or more of -F, -Cl, -Br, -OH, $-CF_3$, C_{1-6} alkyl; C_{1-3} alkoxy and methylenedioxy, X^* is H or -OH; R_3 is H, or t-butyl; R_7 is aryl or U-aryl optionally substituted with one or more groups consisting of C_{1-6} alkyl, chloro, fluoro, bromo, $-NO_2$, C_{1-3} alkoxy, $-CF_3$, $-N(R_{7a})_2$. $C(O)R_{7a}$ – $C(O)N(R_{7a})_2$ and $-NHC(O)R_{7a}$, wherein each R_{7a} is independently chosen from H and C_{1-6} alkyl, U is O, $-CH_2$ - or S; and R_8 and R_9 are each independently C_{1-6} alkyl.

- 14. (Previously Presented) The compound of Claim 13, wherein R₃ is H and R₈ and R₉ are both methyl.
- 15. (Previously Presented) The compound of Claim 13, wherein R_1 is 3,5-difluorophenyl and X' is hydroxyl.

16. (Withdrawn) A compound of Formula III

wherein R_1 is aryl, heteroaryl, cycloalkyl or heterocycle optionally substituted with one or more of -F, -Cl, -Br, -OH, $-CF_3$, $C_{1\cdot6}$ alkyl; $C_{1\cdot3}$ alkoxy and methylenedioxy, X' is H or -OH; R_3 is H, or t-butyl; R_7 is aryl, heteroaryl, cycloalkyl or heterocycle optionally substituted with one or more groups consisting of $C_{1\cdot6}$ alkyl, chloro, fluoro, bromo, $-NO_2$, $C_{1\cdot3}$ alkoxy, $-CF_3$, $-N(R_{7a})_2$. $C(O)R_{7a}$ and $-C(O)N(R_{7a})_2$. $-NHC(O)R_{7a}$, wherein each R_{7a} is independently chosen from H and $C_{1\cdot6}$ alkyl, and ring A is a cycloalkyl ring having 3 to 10 carbon atoms or is a heterocycle having 5 to 7 atoms chosen from carbon, nitrogen, oxygen and sulfur, and is optionally substituted with at least one of $C_{1\cdot6}$ alkyl or $C_{3\cdot10}$ cycloalkyl.

- 17. (Withdrawn) The compound of Claim 16, wherein ring A is optionally substituted cyclopropyl, cyclopentyl, cyclohexyl, piperidinyl, pyrrolidinyl, furanyl, or pyranyl.
- 18. (Currently Amended) The compound of Claim [[17]] $\underline{13}$, wherein R_3 is H, R_1 is 3,5-difluorophenyl and X' is hydroxyl.
- 19. (Previously Presented) The compound of Claim 13, wherein R_7 is aryl optionally substituted with one or more groups consisting of C_{1-6} alkyl, chloro, fluoro, bromo, -NO₂, C_{1-3} alkoxy, -CF₃, -N(R_{7a})₂. C(O) R_{7a} and -C(O)N(R_{7a})₂. -NHC(O) R_{7a} , wherein each R_{7a} is independently chosen from H and C_{1-6} alkyl.
- 20. (Previously Presented) The compound of Claim 1 chosen from the group consisting of: N-[2-tert-butyl-5-(1-methyl-4-phenylpiperidin-4-yl)-2H-pyrazol-3-yl]-2-[2-(3,5difluorophenyl)-2-hydroxyacetylamino]propionamide, 2-[2-(3,5-difluorophenyl)-2hvdroxyacetylamino]-N-[5-(1-methyl-4-phenylpiperidin-4-yl)-2H-pyrazol-3-yl]propionamide, 2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetylamino]-N-[5-(1-phenyl-cyclopropyl)-2H-pyrazol-3-yl]propionamide, 2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetylamino]-N-[5-(1-phenyl-cyclopentyl)-2H-pyrazol-3-yl]-propionamide, N-{5-[1-(4-chloro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetylamino]-propionamide, N-{5-[1-(4-nitro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-(3,5-difluoro-phenyl)-2-hydroxyacetylamino]-propionamide, 2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetylamino]-N-[5-(1,1diphenyl-ethyl)-2H-pyrazol-3-yl]-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxyacetylamino]-N-(5-styryl-2H-pyrazol-3-yl)-propionamide, N-{5-[1-(4-Amino-phenyl)-1-methylcthyl]-2H-pyrazol-3-yl}-2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetylamino]-propionamide, N-{5-[1-(4-Acetylamino-phenyl)-1-methyl-cthyl]-2H-pyrazol-3-yl}-2-[2-(3,5-difluoro-phenyl)-2hydroxy-acetylamino]-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetylamino]-N-{5-[1-(4-fluoro-phenyl)-cyclopentyl]-2H-pyrazol-3-yl}-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2hydroxy-acetylamino]-N-{5-[1-(4-chloro-phenyl)-cyclopentyl]-2H-pyrazol-3-yl}-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetylamino]-N-[5-(1-phenyl-ethyl)-2H-pyrazol-3-yl]propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetylamino]-N-[5-(1-phenyl-cyclohexyl)-

2H-pyrazol-3-yl]-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetylamino]-N-{5-[1-(2fluoro-phenyl)-cyclopentyl]-2H-pyrazol-3-yl}-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2hydroxy-acetylamino]-N-{5-[1-(2-fluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetylamino]-N-{5-[1-(3,5-dimethylphenyl)-1-methyl-ethyl]-2l·l-pyrazol-3-yl}-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxyacetylamino]-N-{5-[1-(2,4-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetylamino]-N-[5-(2-methyl-2-phenyl-propyl)-2H-pyrazol-3-yll-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetylamino]-N-{5-[1-(4trifluoromethyl-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, Pyridine-2-carboxylic acid (1-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-ylcarbamoyl}-ethyl)-amide, Isoguinoline-1-carboxylic acid (1-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3ylcarbamoyl}-ethyl)-amide, 3-Methyl-N-{1-[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3ylcarbamoyl]-ethyl}-butyramide, N-{1-[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-ylcarbamoyl]ethyl}-butyramide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetylamino]-N-{5-[1-(4dimethylamino-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, 2-(2-Dimethylaminoacetylamino)-N-[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-propionamide, 1,2,3,4-Tetrahydro-isoquinoline-3-carboxylic acid {1-[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3ylcarbamoyl]-ethyl}-amide, N-{5-[1-(4-Chloro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-(2methylamino-acetylamino)-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2(S)-hydroxyacetylamino]-N-[5-(1,1-dimethyl-2-phenyl-ethyl)-2H-pyrazol-3-yl]-propionamide, 2-[2-(3,5-Ditluoro-phenyl)-2(R)-hydroxy-acetylamino]-N-[5-(1,1-dimethyl-2-phenyl-ethyl)-2H-pyrazol-3yll-propionamide, N-{1-[5-(1,1-Dimethyl-2-phenyl-ethyl)-2H-pyrazol-3-ylcarbamoyl]-ethyl}-2hydroxy-3-methyl-butyramide, N-(1-{5-[1-(3,5-Difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3ylcarbamoyl}-ethyl)-2-hydroxy-3-methyl-butyramide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxyacetylamino]-N-[5-(4-phenyl-tetrahydro-pyran-4-yl)-2H-pyrazol-3-yl]-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetylamino]-N-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2Hpyrazol-3-yl}-propionamide, 2-Chloro-N-(1-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2Hpyrazol-3-ylcarbamoyl}-ethyl)-benzamide, N-(1-{5-[1-(3,5-Difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-ylcarbamoyl}-ethyl)-2-trifluoromethyl-benzamide, N-{5-[1-(3,5-Difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-hydroxy-2-(2-trifluoromethyl-phenyl)-acetylamino]propionamide, 2-[2-(4-tert-Butyl-phenyl)-2-hydroxy-acetylamino]-N-{5-[1-(3,5-difluoro-phenyl)-

1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, 2-[2-(4-tert-Butyl-phenyl)-2-hydroxyacetylamino]-N-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, 2-[2-(3-Chloro-phenyl)-2-hydroxy-acetylamino]-N-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2Hpyrazol-3-yl}-propionamide, N-{5-[1-(3,5-Difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-(2-hydroxy-2-p-tolyl-acetylamino)-propionamide, 2-[2-(4-Chloro-phenyl)-2-hydroxyacetylamino]-N-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, N- $\{5-[1-(3.5-Difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl\}-2-[2-hydroxy-2-(4-methox)-2-(4-methox)-2-(4-me$ phenyl)-acetylamino]-propionamide, N-{5-[1-(3,5-Difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-vl}-2-[2-hydroxy-2-(4-trifluoromethyl-phenyl)-acetylamino]-propionamide. 2-[2-(2-Chlorophenyl)-2-hydroxy-acetylamino]-N-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3yl}-propionamide, N-{5-[1-(4-Chloro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-(2-hydroxycyclohexylamino)-propionamide, N-(1-{5-[1-(4-Fluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3vlcarbamoyl}-ethyl)-2-hydroxy-3-methyl-butyramide, N-{2-tert-Butyl-5-[1-(4-fluoro-phenyl)-1methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetylamino]propionamide, N-{2-tert-Butyl-5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetylamino]-propionamide, N-[2-tert-Butyl-5-(1,1-dimethyl-2-phenyl-ethyl)-2H-pyrazol-3-yl]-2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetylamino]propionamide, N-[2-tert-Butyl-5-(1,1-dimethyl-2-phenyl-ethyl)-2H-pyrazol-3-yl]-2-[2-(3,5difluoro-phenyl)-2-hydroxy-acetylamino]-propionamide, {1-[2-tert-Butyl-5-(1,1-dimethyl-2phenyl-ethyl)-2H-pyrazol-3-vlcarbamoyl]-ethyl}-carbamic acid tert-butyl ester, N-[2-tert-Butyl-5-(1.1-dimethyl-2-phenyl-ethyl)-2H-pyrazol-3-yl]-2-phenylacetylamino-propionamide, N-{1-[2tert-Butvl-5-(1,1-dimethyl-2-phenyl-ethyl)-2H-pyrazol-3-ylcarbamoyl]-ethyl}-butyramide, N-[2tert-Butyl-5-(4-phenyl-tetrahydro-pyran-4-yl)-2H-pyrazol-3-yl]-2-[2-(3,5-difluoro-phenyl)-2hydroxy-acetylamino]-propionamide, N-(1-{2-tert-Butyl-5-[1-(3,5-difluoro-phenyl)-1-methylethyl]-2H-pyrazol-3-vlcarbamoyl}-ethyl)-3-trifluoromethyl-benzamide, N-{2-tert-Butyl-5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-(4-tert-butyl-phenyl)-2-hydroxyacetylamino]-propionamide, N-{2-tert-Butyl-5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2Hpyrazol-3-yl}-2-[2-(3-chloro-phenyl)-2-hydroxy-acetylamino]-propionamide, 2-(2-Cyclohexyl-2-'hydroxy-acetylamino)-N-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}propionamide, N-{5-[1-(3.5-Difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-(4-fluorophenyl)-2-hydroxy-acetylamino]-propionamide, N-{5-[1-(3,5-Difluoro-phenyl)-1-methyl-ethyl]-

2H-pyrazol-3-yl}-2-(2-hydroxy-2-phenyl-acetylamino)-propionamide, 2-(2-Hydroxy-2-phenylacetylamino)-N-[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-propionamide, 2-(2-Cyclohexyl-2-hydroxy-acetylamino)-N-[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-propionamide, [2-(3,5-Difluoro-phenyl)-acetylamino]-N-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3yl}-propionamide, 2-(2-Cyclohexyl-acetylamino)-N-[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3yl]-propionamide, N-(1-{5-[1-(3,5-Difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3ylcarbamoyl}-ethyl)-3-methyl-3-phenyl-butyramide, (2-Benzo[1,3]dioxol-5-yl-acetylamino)-N-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, 2-[2-(4-Chlorophenyl)-2-hydroxy-acetylamino]-N-[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-propionamide, 2-[2-(2,3-Difluoro-phenyl)-2-hydroxy-acctylamino]-N-{5-[1-(3,5-difluoro-phenyl)-1-methylethyl]-2H-pyrazol-3-yl}-propionamide, 2-[2-(3,5-Dimethoxy-phenyl)-acetylamino]-N-[5-(1methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-propionamide, 2-[2-(3,5-Bis-trifluoromethyl-phenyl)acetylamino|-N-[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl[-propionamide, 2-(2-Benzo[1,3]dioxol-5-yl-acetylamino)-N-{2-tert-butyl-5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, N-[2-tert-Butyl-5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-2-[2-hydroxy-2-(4-trifluoromethyl-phenyl)-acetylamino]-propionamide, N-{2-tert-Butyl-5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-(3,5-difluoro-phenyl)-acetylamino]propionamide, N-[2-tert-Butyl-5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-2-[2-(4-chlorophenyl)-2-hydroxy-acetylamino]-propionamide, N-[2-tert-Butyl-5-(1-methyl-1-phenyl-ethyl)-2Hpyrazol-3-yl]-2-(2-cyclohexyl-acetylamino)-propionamide, N-{2-tert-Butyl-5-[1-(3,5-difluorophenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-(2,3-difluoro-phenyl)-2-hydroxy-acetylamino]propionamide, N-{2-tert-Butyl-5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-(2-hydroxy-2-phenyl-acetylamino)-propionamide N-[2-tert-Butyl-5-(1-methyl-1-phenyl-cthyl)-2H-pyrazol-3-yl]-2-(2-hydroxy-2-phenyl-acetylamino)-propionamide, N-[2-tert-Butyl-5-(1methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-2-(2-cyclohexyl-2-hydroxy-acetylamino)-propionamide, N-(5-Cyclopentyl-2H--pyrazol-3-yl)-2-[2-(3,5-difluror-phenyl)2-2hydroxy-acetylamino]propionamide, 2-[2-(3,5-Diffuorophenyl)-2-hydroxy-acetylamino]-N-[5-(1-methyl-1-phenylethyl)-2H-pyrazol-3-yl]-propionamide, (2S)-2-(3,4-Dichlorophenylamino)-N-{5-[1-(3,5difluorophenyl)-1-methylethyl]-2H-pyrazol-3yl}-propionamide, 2-(3,5-Difluoro-phenyl)-2hydroxy-N-{[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-ylcarbamoyl]-thiophen-2-yl-methyl}acetamide, N-[5-(1-Cyclopropyl-4-phenylpiperidin-4-yl)-2H-pyrazol-3-yl]-2-[2'-(3,5difluorophenyl)-2'-hydroxylacetylamino]-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxyacetylamino]-N-[5-(1-methyl-1-pyridin-3-yl-ethyl)-2H-pyrazol-3-yl]-propionamide, N-{5-[1-(3-Chloro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-(3,5-difluoro-phenyl)-2-hydroxyacetylamino]-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetylamino]-N-{5-[1-(3,4difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2hydroxy-acetylamino]-N-{5-[1-(3-fluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}propionamide2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetylamino]-N-{5-[1-methyl-1-(3trifluoromethyl-phenyl)-ethyl]-2H-pyrazol-3-yl}-propionamide, N-{5-[1-(3,4-Dichloro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetylamino]propionamide, 2-[2-(3.5-Difluoro-phenyl)-2-hydroxy-acetylamino]-N-{5-[1-(3-methoxy-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, N-{5-[1-(4-Chlorophenylsulfanyl)-1methylethyl]-2H-pyrazol-3-yl}-2-[2-(3,5-difluorophenyl)-2-hydroxyacetylamino]-propionamide, 2-Hydroxy-3-methyl-N-{1-[5-(1-methyl-1-phenylethyl)-2H-pyrazol-3-ylcarbamoyllethyl}butyramide, 2-Acetylamino-N-[5-(1,1-dimethyl-2-phenylethyl)-2H-pyrazol-3-yl]-propionamide, 2-[2'-(3,5-Difluorophenyl)-2'-oxo-acetylamino]- N-[5-(1-methyl-4-phenylethyl)-2H- pyrazol-3yl]-propionamide. 2-[2'-(3,5-Difluorophenyl)- 2'-hydroxyacetylamino]-N-[5-(1-methyl-1phenylethyl)-2H-pyrazol-3-yl]-propionamide, 2-[2'-(3,5-Difluorophenyl)-2'hydroxyacetylamino]-N-[5-[1-2,3-difluorophenyl)-1-methylethyl]-2H- pyrazol-3-yl]propionamide, N-[5-(1-Cyclohexyl-1-methyl-ethyl)-2H-pyrazol-3-yl]-2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetylamino]-propionamide, 2-(3-Butyl-ureido)-N-{5-[1-(3,5-difluoro-phenyl)-1methyl-ethyl]-2H-pyrazol-3-yl}-propionamide and 2-(3,4-Dichlorophenylamino)-N-{5-[1-(3,5difluorophenyl)-1-methylethyl]-2H-pyrazol-3yl}-propionamide.